


Vísind og vinna: *Havfrøði*





Hjálmar Hátún,
Havfrøðingur

Vit vinna tá vit taka felags tøk 😊



Minking nær landgrunnum síðani 1995



(Freydís Vigfúsdóttir)


Havfrøði: Subpolari meldurin

Sjógvur søkkur



Subpolari
meldurin

Subtropiski
meldurin


(Hátún v. fl., Science 2005)



Subpolari meldurinn





Subpolari meldurin



Kalt



Heitt

Roknaður hiti




Stórar broytingar mitt í 1990unum


Saltinnihald og hiti kring Føroyar



Upphiting nokk ikki einasta
orsøk til niðurgongdina



Várproduksjón




Frá Jan A. Jacobsen
(meira seinni)


Fiskaslag	Jan	Feb	Mar	Apr	Mai	Jun	Jul	Aug	Sep	Okt	Nov	Des
Upsi												
Toskur												
Hýsa												
Nebbasild												

Yngul uppi
í sjónum


Silikat steðgar várblómingini



Kiselalga






Lítið av silikati frá eysturi



Miðal-konsentrasjón í juni (50-metra dýpi)

Silikat minking



Boðskapur

- Havumhvørvið ávirkar helst vistskipanina
- Tøðevnistrot helst størri týdning enn upphiting
- Mugu tálma veiðuna, tá náttúran virkar ímóti